

World Leaders in Aquaculture Water Quality Measuring, Monitoring and Control



PACIFIC UNIT'S INTRODUCTION; MAIN, COMBI, ANALOG, I/O & PROBE






PACIFIC MAIN UNIT

- Up to 20 probes: wired, wireless
- Combination of relays and digital inputs/outputs
 (up to 30 of each)
- P-NET, TCP/Modbus, TCP/IP, USB, SMS, Mail
- Built-in data logger
- Touch-screen



PACIFIC UNIT INTRODUCTION; MAIN, COMBI, ANALOG, I/O & PROBE







FEED AND LIGHT WITH PACIFIC COMMANDER

- Pacific Commander has an artificial daylight program. This can control fluorescent or LED lamps with analogue or DALI signals
- Pacific Commander has an feeder program. This can control feeders with analogue or on/off signals

OVERVIEW

- Probe
- Valves
- Level sensors
- 1 or 2 screen design
- Alarms
- SMS notifications



HANDY'S




- Dissolved oxygen, salinity, TGP, Redox (ORP) & pH level

PACIFIC CONVOY





POND MASTER



OXYGUARD POND MASTER

- Small
- Reliable
- Inexpensive solution for continuous measurement of dissolved oxygen in a tank with fish or in a pond
- Data transfer via USB
- Alarm
- Feeding
- Measures and monitors
- Aeration



SUCCESS WITH OXYGUARD EQUIPMENT



POUL ROSENDORF
Project Manager

OxyGuard International A/S

+45 4582 2094

oxyguard@oxyguard.dk



THANK YOU!